




Oracle E-Business Suite Release 11i AutoConfig and RapidClone


James J. Morrow
Senior Oracle Applications DBA

Release 11i/Workshops
Dallas, TX • Santa Clara, CA
Cincinnati, OH • Denver, CO • Atlanta, GA
Detroit, MI • Las Vegas, NV

www.solutionbeacon.com



Are you an OAUG Member?



Global Users. Global Solutions.


Member Benefits include:

- ◆ Advocacy opportunities to influence Oracle on product enhancements, usability, new features, Oracle support, pricing and quality
- ◆ Knowledge that showcases the latest trends and techniques used by industry leaders through our national and regional events and our publications, such as OAUG Insight magazine
- ◆ Communication with other OAUG members worldwide through participation in OAUG committees, leadership positions, interaction with Oracle Corporation's user initiatives, frequent member surveys, and Oracle management briefings
- ◆ Education through the hundreds of career-enhancing presentations in our conference paper database archive, as well as discounts to conferences and Oracle education
- ◆ Networking with Oracle customers, industry experts, third-party software firms, and other Oracle Applications specialists through our Member Database and Online Vendor Directory



ORACLE CERTIFIED PARTNER


James Morrow Profile



- ◆ 15+ yrs experience in IT Industry
- ◆ 12+ yrs experience Oracle Applications
- ◆ Presenter of Training/Presentations multiple clients, conferences
- ◆ Solution Beacon is a leading provider of expert-level resources to Government Agencies and Fortune 1000 companies specializing in the Oracle Applications marketplace, providing leading expertise in the following areas:
 - Release 11/Upgrades/Implementations
 - Oracle Apps Database Administration
 - Oracle Systems Architecture
 - Oracle Performance Tuning
 - Oracle Workflow



Audience Profile



◆ Functional


- Implementation/Upgrade Project Managers

◆ Technical

- Oracle Applications DBA
- Oracle Applications Developers
- Anyone bitten by AutoConfig



Overview



◆ Objectives of presentation

- Provide a good understanding of how AutoConfig and Rapid Clone actually work.
- Explain how to use AutoConfig and Rapid Clone in order to stabilize your environment

◆ Agenda


- AutoConfig Background
- Surviving AutoConfig
- Extending AutoConfig
- Rapid Clone




Background

Release 11/Workshops
Dallas, TX • Santa Clara, CA
Cincinnati, OH • Denver, CO • Atlanta, GA
Detroit, MI • Las Vegas, NV

www.solutionbeacon.com



Background




◆ Why do we need AutoConfig?

- 10.7 (Character, SmartClient) < 10 configuration files
- 10.7 (NCA) < 50 configuration files
- 11.0 < 50 configuration files
- 11i > 300 configuration files



Background




◆ What does AutoConfig enable?

- Configuration Management
- Stable
- Reproducible
- And mostly: CLONING



Background



◆ How does it work?

- Completely recreates all managed configuration files
- Context name is `SID_hostname` (unique for each instance/node combination)

- Context file:

`$APPL_TOP/admin/SID_hostname.xml`

- Templates in

`$FND_TOP/admin/templates`

`$AD_TOP/admin/templates`



Background




◆ How does it work?

- Written in perl/java
- Uses a “sed-like” search and replace to replace “tokens” in the template with “values” from the context file.



Background



Config file (`$APPL_TOP/APPS.env`) containing:

```
export TWO_TASK=PROD
```

Template (`$FND_TOP/admin/template/apps_ux.env`) would contain:

```
export TWO_TASK=%s_oracle_sid%
```

Context file (`$APPL_TOP/admin/PROD_appshost.xml`) would contain:

```
<s_oracle_sid>PROD</s_oracle_sid>
```



◆ How does it work?

- AutoConfig would (essentially) perform this operation:


```
cat $FND_TOP/admin/template/apps_ux.env | \  
sed s/%s_oracle_sid%/"PROD"/g \  
>$APPL_TOP/APPS.env
```




Surviving AutoConfig

Release 11/Workshops
Dallas, TX • Santa Clara, CA
Cincinnati, OH • Denver, CO • Atlanta, GA
Detroit, MI • Las Vegas, NV

www.solutionbeacon.com



Surviving AutoConfig



◆ AutoConfig is run

- On demand by the DBA
- By Rapid Clone to configure an instance
- After patching (either by `adpatch` or manually by the DBA)


◆ An AutoConfig run CAN be backed-out (See: Oracle Apps Maintenance Procedures)

```
$APPL_TOP/admin/PROD_appshost/out/<MMDDhhmm>
```

```
$ORACLE_HOME/appsutil/out/PROD_appshost/<MMDDhhmm>
```



Surviving AutoConfig




◆ Things to avoid

- Direct edits to configuration files
 - ◆ Managed configuration files generally contain a “header” that identifies them as such
- Direct edits to the templates



Surviving AutoConfig



◆ But I need to change things!

- Change values in the Context File
- Make use of Include Files

◆ Database `initSID.ora`

`$ORACLE_HOME/dbs/PROD_appshost_ifile.ora`

◆ All `tnsnames.ora`

`$TNS_ADMIN/PROD_appshost_ifile.ora`

◆ All `listener.ora`


`$TNS_ADMIN/listener_ifile.ora`

◆ Unix Environment files

`customPROD_appshost.env`



Surviving AutoConfig



◆ But I need to change things!

- Define a custom top the “old” way:


```
# Begin customizations
XXCUST_TOP=$APPL_TOP/xxcust/11.5.0
export XXCUST_TOP
# End customizations
```

- Or, the current way, by adding the following line to \$APPL_TOP/admin/topfile.txt (MetaLink: 216589.1)

```
xxcust /oracle/oraprod/prodappl
```




Surviving AutoConfig



- ◆ New method of customizing (MetaLink 270519.1)
 - `adcustomizer.sh` (convert from old method to new)



Surviving AutoConfig



◆ But I need to change things!

- Use the configuration wizards to enable things like Forms Servlet Mode (MetaLink 277574.1)


```
$FND_TOP/bin/txkrun.pl \  
-script=SetAdvCfg \  
-appuser=apps -appspass=apps \  
-enable=FormsLsnrServlet
```




Extending AutoConfig

Release 11/Workshops
Dallas, TX • Santa Clara, CA
Cincinnati, OH • Denver, CO • Atlanta, GA
Detroit, MI • Las Vegas, NV

www.solutionbeacon.com



Extending AutoConfig



◆ Customizing Templates (MetaLink 270519.1)

- appsTier templates live in:

`$AD_TOP/admin/template`

`$FND_TOP/admin/template`

- dbTier templates live in:

`$ORACLE_HOME/appsutil/template`



◆ Customizing Templates (MetaLink 270519.1)

- Determine which template is being used

appsTier:


```
$AD_TOP/bin/adtmplreport.sh contextfile=<context> \  
target=<configurationfile>
```

dbTier:

```
$ORACLE_HOME/appsutil/bin/adtmplreport.sh \  
contextfile=<context> \  
target=<configurationfile>
```



Extending AutoConfig



◆ Customizing Templates (MetaLink 270519.1)


- Create a “custom” directory

`$FND_TOP/admin/template/custom`

- Copy template into custom directory
- Apply your changes to the custom template



Extending AutoConfig



◆ Caveat:

- Certain patches (Notably AD, FND, TXK) can deliver updated templates.
- Use `$APPL_TOP/admin/applcust.txt` to keep track
- Newer releases of AutoConfig will notify you if a customized template is out of date.


◆ You can also create your own AutoConfig tokens and templates (MetaLink 270519.1)




Rapid Clone

Release 11/Workshops
Dallas, TX • Santa Clara, CA
Cincinnati, OH • Denver, CO • Atlanta, GA
Detroit, MI • Las Vegas, NV

www.solutionbeacon.com



Rapid Clone



- ◆ Used to produce clones of a given environment (MetaLink 230672.1)
- ◆ Preparing for a clone

- Build a current appsutil directory for your database \$ORACLE_HOME (MetaLink 165195.1)

```
perl $AD_TOP/bin/admkappsutil.pl
```

will produce

```
$APPL_TOP/admin/out/appsutil.zip
```

Which you will then need to unzip into your database

```
$ORACLE_HOME
```

```
cd $ORACLE_HOME
```

```
unzip -o $APPL_TOP/admin/out/appsutil.zip
```



◆ Pre-Clone (on SOURCE) gathers information

● dbTier

```
cd $ORACLE_HOME/appsutil/scripts/PROD_appshost  
perl adpreclone.pl dbTier
```

◆ Context file stored in:

```
$ORACLE_HOME/appsutil/clone/context/db/PROD_appshost.xml and CTXORIG.xml
```

◆ Database Controlfile Script stored in:

```
$ORACLE_HOME/appsutil/clone/data/stage/adcrdb.zip  
(adcrdbclone.sql)
```



◆ Pre-Clone (on SOURCE) gathers information

● appsTier

```
cd $COMMON_TOP/admin/scripts/PROD_appshost  
perl adpreclone.pl appsTier
```

◆ Context file stored in

```
$COMMON_TOP/clone/context/apps/PROD_appshost.xml  
and CTXORIG.xml
```

Rapid Clone



◆ Copy Files

● appsTier

<APPL_TOP>

<OA_HTML>

<OA_JAVA>

<OA_JRE_TOP>

<COMMON_TOP>/util

<COMMON_TOP>/clone


<COMMON_TOP>/_pages (when exists)

<806 ORACLE_HOME>

<iAS ORACLE_HOME>



Rapid Clone



◆ Copy Files


- dbTier

`$ORACLE_HOME`

Database Files



Rapid Clone



◆ Post-Clone uses gathered information (and interview) to generate new environment

● dbTier

```
cd $ORACLE_HOME/appsutil/clone/bin  
perl adcfgclone.pl dbTier
```

◆ Answer questions

◆ `adcfgclone.pl` will generate `$TNS_ADMIN` directory `$ORACLE_HOME/dbs` and database controlfile.

◆ Database and listener will be started

◆ `$ORACLE_HOME` will be registered in OUI



Rapid Clone



◆ Post-Clone uses gathered information (and interview) to generate new environment

● appsTier

```
cd $COMMON_TOP/clone/bin  
perl adcfgclone.pl appsTier
```

◆ Answer questions

◆ `adcfgclone.pl` will generate new config files, updates profile options, and start the appsTier components


◆ `$ORACLE_HOME` will be registered in OUI




References

Release 11/Workshops
Dallas, TX • Santa Clara, CA
Cincinnati, OH • Denver, CO • Atlanta, GA
Detroit, MI • Las Vegas, NV

www.solutionbeacon.com




Referenced Documents



MetaLink	Title
165195.1	Using AutoConfig to Manage System Configurations with Oracle Applications 11i
216212.1	Business Continuity for Oracle Applications Release 11i, Database Releases 9i and 10g
230672.1	Cloning Oracle Applications Release 11i with Rapid Clone
270519.1	Customizing an AutoConfig Environment
345145.1	Is There A Way To Automate The Prompts For Adcfgclone.PI?
362473.1	Cloning E-Business Suite using Hot Backup for Minimal Downtime of Source Environment



AutoConfig Managed Files



- ◆ Some of the most commonly modified AutoConfig managed files

Database Tier

Database \$ORACLE_HOME

\$ORACLE_HOME/PROD.env

\$ORACLE_HOME/PROD_appshost.env


\$ORACLE_HOME/dbs/initPROD.ora

\$TNS_ADMIN/listener.ora

\$TNS_ADMIN/tnsnames.ora



AutoConfig Managed Files



- ◆ Some of the most commonly modified AutoConfig managed files

Applications Tier

8.0.6 Client \$ORACLE_HOME

`$ORACLE_HOME/PROD.env`


`$ORACLE_HOME/PROD_appshost.env`

`$TNS_ADMIN/listener.ora`

`$TNS_ADMIN/tnsnames.ora`



AutoConfig Managed Files



- ◆ Some of the most commonly modified AutoConfig managed files

Applications Tier (continued)

Oracle iAS $\${IAS_ORACLE_HOME}$

$\$ORACLE_HOME/PROD.env$

$\$ORACLE_HOME/PROD_appshost.env$

$\$TNS_ADMIN/listener.ora$

$\$TNS_ADMIN/tnsnames.ora$

$\$ORACLE_HOME/Apache/Apache/conf/httpd.conf$

$\$ORACLE_HOME/Apache/Apache/conf/httpd_pls.conf$


$\$ORACLE_HOME/Apache/Jserv/etc/formservlet.ini$

$\$ORACLE_HOME/Apache/Jserv/etc/jserv.properties$

$\$ORACLE_HOME/Apache/Jserv/etc/jserv.conf$



AutoConfig Managed Files



- ◆ Some of the most commonly modified AutoConfig managed files

Oracle Applications \$APPL_TOP

`$APPL_TOP/admin/APPSORA.env`


`$APPL_TOP/admin/APPSPROD_appshost.env`

`$APPL_TOP/admin/PROD.env`

`$APPL_TOP/admin/PROD_appshost.env`



Questions and Answers



Thank you!

James J. Morrow

jmorrow@solutionbeacon.com

www.solutionbeacon.com

Real Solutions for the Real World.®



ORACLE CERTIFIED PARTNER

Check out our new book:

Installing, Upgrading and
Maintaining Oracle E-
Business Suite
Applications 11.5.10+

IT'S HERE!

Order from www.lulu.com

Sign Up For the Solution
Beacon Newsletter at
www.solutionbeacon.com

*Solution Beacon and OnCallDBA
Installing, Upgrading and Maintaining Oracle E-Business Suite Release 11i*



(or "Teaching an Old Dog New Tricks - Release 11i Care and Feeding")

*Installing, Upgrading and Maintaining
Oracle E-Business Suite Applications
Release 11.5.10+*

*By Barbara Matthews, John Stauffer, Randy Giefer, Karen Brownfield, Jeff Holt,
Bruno Coon, James Morrow, Tim Sharpe and Faun deHenry*

Available at www.solutionbeacon.com

Release 11i/Workshops
Dallas, TX • Santa Clara, CA
Cincinnati, OH • Denver, CO • Atlanta, GA
Detroit, MI • Las Vegas, NV

www.solutionbeacon.com

